liftsmart -

LS15



13 22 54

www.aalstore.com.au

liftsmart LS15

The Liftsmart LS15 series offers a strong, robust mast with an extension height of up to 3.3m. The external charger has also been designed to operate with greater reliability.

Thanks to Liftsmart's sleep model and low battery voltage alarm function, energy consumption is significantly reduced.



Mid-driving unit with 3 point standing chassis design, reducing the risk of the drive wheel slipping or losing traction



Ergonomically designed and built handle for comfortable operation



Secure dustproof design improves the life of the machine



Intelligent and modular control system ensures stable operation when lifting, lowering, moving and braking




Upper mounted handle designed for easier operation and steering




Wide mast provides high visibility, making lifting more precise and increasing safety



With the flick of a switch, automatically limit maximum travel speed when the load is higher than 0.7m







SPECIFICATIONS

Characteristics		Model		LS15
	1.1	Operator Type		Walkie
	1.2	Load Capacity	kg	1500
	1.3	Load Center	mm	600
	1.4	Wheelbase	mm	1231
Weight	2.1	Service Weight(Incl.Battery)	kg	510/580/610/640
Wheels	3.1	Tyre Type		PU
	3.2	Tyre Size,Drive Wheels	mm	Ф230х70
	3.3	Tyre Size,Load Wheels	mm	Ф84х70
	3.4	Tyre Size, Balance Wheels	mm	Ф115x55
	3.5	Wheels,Numbers(x=drive wheel)		1x+2
Dimensions	4.2	Height, Mast lowered	mm	2160/1795/2045/2195
	4.4	Lift Height	mm	1600/2500/3000/3300/3500/3600/4000
	4.5	Height, Mast Extended	mm	2150/3005/3505/3805/4005/4105/4505
	4.9	Height of tiller arm, Min/Max	mm	910/1230
	4.2	Fork Height, Lowered	mm	85
	4.2	Overall Length	mm	1705
	4.2	Overall Width	mm	
	4.2	Fork Dimension	mm	1070x100x30
	4.3	Outside Fork Width	mm	200-800
	4.3	Ground Clearance	mm	30
	4.3	AST,1000X1200 pallet crosswaysmm		2255
	4.3	AST,800X1200 pallet crosswaysmm		2180
	4.4	Outer Turning Radius	mm	1375
		Straddle leg OD	mm	1280/1480
		Straddle leg ID	mm	1180/1380
Performance	5.1	Travel Speed, Laden/Unladenkm/h		5.0/5.5
	5.2	Lifting Speed, Laden/Unladenm/s		0.20/0.21
	5.3	Lower Speed, Laden/Unladenm/s		0.12/0.11
	5.8	Max Gradeability, Laden/Unladen%		3.0/10.0
Drive	6.1	Drive Motor Rating S2 60Min	kw	1.10DC/AC
	6.2	Lifting Motor Rating S3 15%	kw	2.20DC
	6.4	Battery Voltage/Capacity(5h)	V/Ah	24/80
Others	7.1	Controller		PG
	7.2	Service Brake		Regenerate
	7.3	Parking Brake		Electromagnetic

Load Chart: LS15			
Lift Height (mm)	Actual Capacity (kg)		
0	1500		
3000	1500		
3500	1000		
4000	600		

Branches

VICTORIA

Melbourne - Springvale (Head Office)

1574 Centre RdSpringvale, VIC, 3171[03] 9547 8000

Melbourne - Truganina

- 42–44 Jessica Way Truganina, VIC, 3029[03] 9394 4090
 - TASMANIA

Tasmania

- 87a Devonport Road Spreyton, TAS, 7310
- [03] 6427 3966

NEW SOUTH WALES

Sydney (State Office)

- 219 Newton RdWetherill Park, NSW, 2164[02] 8788 1777
 - Riverina
- 5 Favell Street Griffith, NSW, 2680
- **(** [02] 6962 7343

Newcastle

- 3/46 Munibung Rd Cardiff, 2285
- **(** [02] 4954 7724

WESTERN AUSTRALIA

Perth (State Office)

- Unit 1, 1-9 Kurnall Road Welshpool, WA, 6106
- **(** [08] 9352 9200

Kalgoorlie

15 Close WayKalgoorlie, WA, 6430[08] 9091 8599

QUEENSLAND

Brisbane (State Office)

11 Lombank Street
 Acacia Ridge, QLD, 4110
 [07] 3373 5111

Rockhampton

- © 62 Glenmore Road Park Avenue, Rockhampton QLD 4700
- **(** [07] 4922 8874

Townsville

- 39 Duckworth Street Garbutt, QLD, 4814
- **(** [07] 4778 2000

SOUTH AUSTRALIA

Adelaide (State Office)

- Q 18-22 Churchill Rd. Nth. Dry Creek, SA, 5094
- ([08] 8360 3444

Mt. Gambier

1 Avey RoadMt. Gambier, SA, 5290[08] 8725 7809

Service Centres

VICTORIA

Bendigo Warrnambool Ballarat Shepparton Wodonga Mildura

TASMANIA

Hobart Launceston Burnie

NEW SOUTH WALES

Dubbo
Griffith
Tamworth
Newcastle
Wollongong
Canberra
Tumut
Bathurst
Wagga Wagga
Albury
Gosford
Coffs Harbour

SOUTH AUSTRALIA / NT

Riverland Darwin

QUEENSLAND

Rockhampton Mackay Cairns Gladstone Townsville Mt Isa Toowoomba Gold Coast Sunshine Coast

WESTERN AUSTRALIA

Margaret River Karratha